

BCBDOO, LLC **Customer:** 

Address: 2204 W. 136th Ave., Suite 106-906

Broomfield, CO 80023

Sample ID: FUCHEM: Giza Gummy Wild Berry

Test Conditions: 18°C

**Analytical Chemist: SH** 

**Extraction Technician: CQ** 

Edible Matrix:


22J0119-01 Total mass or volume per unit (g or mL): 18.9890 Labnumber:

Cannabinoid Profile

**Analysis** Extraction Date(s) Date(s) 10/31/2022 11/1/2022

Analytical Olicinist. Oli			10/01/2022	1 11/1/2022
Cannabinoids (HPLC)			Results	
	LOD (mg/g)	%	mg/g	mg/Gummy
Cannabidivarin (CBDV)	<0.040			
Cannabidiolic Acid (CBD-A)	<0.040			
Cannabigerolic Acid (CBG-A)	<0.040			
Cannabigerol (CBG)	<0.040			
Cannabidiol (CBD)	<0.040			
Tetrahydrocannabivarin (THCV)	<0.040			
Cannabinol (CBN)	<0.040			
Cannabichromene (CBC)	<0.040			
delta 9-Tetrahydrocannabinol (THC)		0.23	2.30	43.7
delta-9-Tetrahydrocannabinolic Acid (THC-A)	<0.080			
delta 8-Tetrahydrocannabinol	<0.080			
(6aR,9S)-delta-10-THC	<0.080	CII -	Fin	O°
(6aR,9R)-delta-10-THC	<0.080	SUL		
Cannabinoids Total		%		mg/g
Max Active THC (delta-9-tetrahydrocannabinol)		0.23		2.30
Max Active CBD		<0.004		<0.040
Total Cannabinoids		0.23		2.30
Following USDA guidelines on uncertainty, Altitude Consulting	's uncertainty is calculat	ed to be +/- 3% for a	l cannabinoids us	ing a coverage

ISDA guidelines on uncertainty, Altitude Consulting's uncertainty is calculated to be +/- 3% for all cannabinoids usir factor of 2 (95% confidence interval). Measurement uncertainty has not been factored into reported values. Blank results indicate the compound was below the limit of detection



Gary Brook - Laboratory Director - 11/1/2022

Reporting Limits will vary based on sample extraction weight used for the analysis.

The results of this report are based solely on the sample submitted and cannot be reproduced. Decision Rule: Measurement uncertainty is not accounted for in the reported values. Results are based solely on calculated numbers. Altitude Consulting makes no Statements of conformity. Pesticide, metal, and microbial analyses are subcontracted to ISO 17025 laboratories.